

Technical Data Sheet

Ceramic Powders and Formulations for Passive Components Barium Strontium Titanate – Family of Dielectric Additive Powders

Application

Barium Strontium Titanate (BST) is a multi-component, single phase material having a Curie peak that can be moved by adjusting the Ba:Sr mole ratio. To achieve paraelectric properties, ratios of $\leq 60:40$ are generally required. Otherwise, BST is observed to trend toward ferroelectric characteristics.

Common applications can include capacitors, filled-polymer composites, microwave components, implanted medical devices and aerospace components. As this is a compositional family of products, Ferro can build BST formulations customized to fit your specific performance requirements.

Barium Strontium Titanate - Examples Data

Ba:Sr Mole Ratio			55:45	60:40	70:30	80:20	90:10
FIRED DISC DATA							
Dielectric Constant (25°C)			2862	5240	4979	2159	1888
Dielectric Constant at Curie Peak			8605	10,818	12,211	12,829	13,152
Curie Peak Temperature	°C		-10	5	35	70	100
Fired Density	g/cc		5.56	5.81	5.80	5.84	5.93
Peak Firing Temperature	°C		1360	1360	1360	1360	1360
Time at Peak Temperature	Hours		2.0	2.0	2.0	2.0	2.0
Particle Size Distribution	D90	µm	1.1	1.1	1.1	1.1	1.1
	D50	µm	0.7	0.7	0.7	0.7	0.7
	D10	µm	0.4	0.4	0.4	0.4	0.4
Surface Area	m ² /g		7.0	6.6	6.7	6.8	6.5
True Density ¹	g/cc		5.50	5.55	5.64	5.71	5.80

1 Per Helium Pycnometer



Limitation of Warranty and Liability

Ferro believes that the information contained in this document is accurate at the time of its publication. Ferro makes no warranty with respect to the information contained in this document. The information in this document is not a product specification, either in whole or in part. Your use of the information contained in this document and your purchase and use of this Ferro product are at your sole discretion. Downstream users are responsible for determination of the suitability of this product and for testing in specific applications. Nothing in this document shall be construed as a license for use that infringes upon any property rights of any third party. Please refer to the Safety Data Sheet (SDS) for safe use, handling and disposal information. All sales by Ferro to you are subject to Ferro's Terms and Conditions of Sale, as amended from time to time and available at www.ferro.com. In the event this document conflicts with Ferro's Terms and Conditions of Sale, Ferro's Terms and Conditions of Sale shall control.